

**From:** [Lara, Alex](#)  
**To:** [Ruhl, Christopher](#); [Smith, Monica](#); [Martin, John](#); [Baxter, Madison](#); [Delgado, Eric](#)  
**Cc:** [Janine.Latham@WestonSolutions.com](mailto:Janine.Latham@WestonSolutions.com); [kris.fuller@westonsolutions.com](mailto:kris.fuller@westonsolutions.com)  
**Subject:** SITREP Updates  
**Date:** Friday, September 02, 2016 2:03:59 PM  
**Attachments:** [removed.txt](#)  
[Southern Louisiana Flooding - 09022016 PM.docx](#)  
[DW Assessment 090216.pdf](#)  
[Facility Assessment 090216.pdf](#)  
[Home Assessment 090216.pdf](#)  
[WW Assessment 090216.pdf](#)

---

Please see attachments above.



**Alejandro Lara Jr.**  
*Associate Project Scientist - START Team*  
**Weston Solutions, Inc.**  
3900 Dallas Pkwy, Ste. 175  
Plano, TX 75093  
956.466.2149 - cell  
469.666.5534 - direct  
469.666.5540 - fax  
[Alex.Lara@westonsolutions.com](mailto:Alex.Lara@westonsolutions.com)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

\*\*\*\*\* ATTACHMENT REMOVED  
\*\*\*\*\*

This message contained an attachment which the administrator has caused to be removed.

\*\*\*\*\* ATTACHMENT REMOVED  
\*\*\*\*\*

Attachment name: [image001.jpg]  
Attachment type: [image/jpeg]